

541,889

10/541889

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau(43) International Publication Date
29 July 2004 (29.07.2004)

PCT

(10) International Publication Number
WO 2004/062379 A2

- (51) International Patent Classification⁷: **A23K 1/18, 1/16**
- (21) International Application Number:
PCT/GB2004/000084
- (22) International Filing Date: 12 January 2004 (12.01.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0300602.0 10 January 2003 (10.01.2003) GB
- (71) Applicant (for all designated States except US): **FORIN-NOVA AS** [NO/NO]; Thormøhlensgate 55, N-5008 Bergen (NO).
- (71) Applicant (for GB only): **COCKBAIN, Julian** [GB/GB]; 42 Southmoor Road, Oxford OX2 6RD (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **HAMRE, Kristin** [NO/NO]; Thormøhlensgate 55, N-5008 Bergen (NO).
- (74) Agents: **COCKBAIN, Julian** et al.; Frank B. Dehn & Co., 179 Queen Victoria Street, London EC4V 4EL (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: FISH FEED COMPOSITIONS

(57) Abstract: The present invention provides a fish feed comprising a live feed component which has been fed with an acylglycerol composition which comprises mono and/or diacylglycerols of at least one fatty acid selected from eicosapentaeneic acid and docosahexaeneic acid.

WO 2004/062379 A2

Fish Feed Compositions

5 This invention relates to a composition for use in feeding fish, in particular pre-adult stage fish, especially marine fish larvae and particularly larvae of flatfish, e.g. halibut fry.

10 Marine fish larvae in aquaculture are normally fed with live feed, in particular rotifers (*Bachionus plicatilis*) and *Artemia* (brine shrimp), during the first 4 to 6 weeks of exogenous feeding.

15 *Artemia* for use in aquaculture may be obtained commercially in the dormant egg or cyst form (e.g. from Wudi County Haotian *Artemia* Cysts Co., Ltd of Wudi County, Shandong, China). These may be hatched in aqueous saline (e.g. filtered sea water) and within 18 to 48 hours produce the live baby shrimp or nauplius form which is used as fish feed. The *Artemia* comprise about 48% protein and 18% lipid and thus are generally
20 considered to be an excellent nutrient for fish, including shellfish, in aquaculture.

Nonetheless, fish larvae fed on rotifers and *Artemia* have a tendency towards developmental errors in pigmentation and metamorphosis, e.g. incomplete eye
25 migration in flatfish. To some extent this problem has been addressed by enriching rotifer/*Artemia* feeds with marine fish oils (e.g. cod liver oil) prior to distributing the feed to the larvae.

The marine fish oils used in this regard are
30 generally triacylglycerols, i.e. triglycerides, and contain a proportion of C₂₀ and C₂₂ omega-3 fatty acid (i.e. eicosapentaeneoic acid (EPA - C₂₀:5n-3) and decosahexaeneoic acid (DHA - C₂₂:6n-3)) residues.

We have now surprisingly found that developmental
35 errors in fish larvae growth can be reduced and survival, growth and feed utilization can be improved by supplementing the live feed with an acylglycerol

- 2 -

composition which contains mono and/or diacylglycerols having C₂₀ and/or C₂₂ omega-3 fatty acid residues.

This supplementation may be achieved by allowing the live feed to consume the acylglycerol composition.

5 In effect therefore the live feed then serves in part as a food source for the fish larvae and in part as a carrier for delivering the acylglycerol composition. Simply administering the acylglycerol composition to the fish larvae, e.g. as an emulsion, would result in little
10 if any being consumed by the fish larvae.

Thus viewed from one aspect the invention provides a fish feed comprising a live feed component which has been fed with an acylglycerol composition which comprises mono and/or diacylglycerols of at least one
15 fatty acid selected from eicosapentaeneic acid and docosahexaeneic acid, e.g. as at least 5% wt of the total acylglycerol content, especially at least 10% wt, more preferably at least 30% wt, particularly at least 45% wt, for example up to 100% wt.

20 Viewed from a further aspect the invention also provides a process for the preparation of fish feed, said process comprising contacting an acylglycerol composition and a live feed component, characterized in that said acylglycerol composition comprises mono and/or
25 diacylglycerols of at least one fatty acid selected from eicosapentaeneic acid and docosahexaeneic acid, e.g. as at least 10% wt of the total acylglycerol content, especially at least 20% wt, more preferably at least 30% wt, particularly at least 45% wt, for example up to 100%
30 wt.

The acylglycerol fed to the live feed component may be a monoacylglycerol, a diacylglycerol, a mixture of mono- and diacylglycerols, a mixture of mono- and triacylglycerols, a mixture of di- and triacylglycerols
35 or a mixture of mono-, di- and triacylglycerols. Preferably it comprises at least mono and diacylglycerols containing EPA and/or DHA residues, e.g.

- 3 -

containing at least 30% wt, more preferably at least 40% wt, especially at least 50% wt, more especially at least 55% wt of EPA and/or DHA based on the total fatty acid content. Especially preferably at least 25% wt of the
5 EPA, DHA or EPA and DHA residues are present in mono- or diacylglycerols, more especially at least 50% wt. In an especially preferred aspect, the acylglycerol composition also contains acylglycerols having arachidonic acid (AA) residues, preferably in mono
10 and/or diacylglycerols.

Where the, EPA or DHA is present in a monoacylglycerol, no other fatty acid residue will be present in the compound. Where however they are present in di- or triacylglycerols, one or two further fatty
15 acid residues will be present. These will preferably be C₁₆₋₂₄ omega-3 or omega-6 acids, especially EPA, DHA or arachidonic acid, i.e. the acylglycerol composition preferably contains diacylglycerol compounds having two EPA or DHA residues, one DHA and one EPA residue, one
20 EPA and one AA residue, or one DHA and one AA residue. Diacylglycerol containing two AA residues and/or monoacylglycerol containing one AA residue may also conveniently be present in the composition. Where the composition also contains triacylglycerols, at least
25 some of these will preferably contain EPA, DHA and/or AA residues.

The DHA content of the acylglycerol composition (relative to total fatty acid content) is preferably at least 10% wt, more preferably at least 20% wt,
30 particularly at least 30% wt, especially at least 45% wt, e.g. up to 100% wt. The EPA content (where EPA is present) is preferably at least 10% wt, more preferably at least 15% wt, e.g. up to 50% wt.

Acylglycerols containing omega-3 acids of marine
35 origin are available commercially, e.g. as EPAX oils from Pronova Biocare of Norway (see www.pronova.com). Examples of available EPAX oils include EPAX 2050 TG

(which has an eicosapentaeneoic acid (EPA) content of about 20% wt and a decosahexaeneoic acid (DHA) content of about 50% wt and a high mono and diacylglycerol content), EPAX 0626 TG (which has an EPA content of about 6% wt and a DHA content of about 25% wt), EPAX 3000 TG (which has an EPA content of 16-20% wt and a DHA content of 11-13% wt), EPAX 5000 TG (which has an EPA content of about 30% wt and a DHA content of about 20% wt).

10 Acylglycerols containing omega-6 acids are also widely available commercially.

 Mono and diacylglycerols for use according to the invention may be prepared by hydrolysis of omega-3 and/or omega-6 acid containing di and triacylglycerols or by esterification of glycerol or monoacylglycerols with appropriate omega-3 and/or omega-6 fatty acids.

15 Mono- and diacylglycerols containing only DHA, EPA and/or AA residues are themselves novel and form a further aspect of the invention, e.g. in a form substantially free of other acylglycerols, for example at least 90% wt pure, preferably at least 95% wt pure. These can readily be prepared by esterification of glycerol with optionally activated forms of these acids.

20 In the fish feeds of the invention, the live feed component may be any live aquatic animal organism of a size able to be consumed by larval fish, e.g. a monocellular species or a multicellular species having a maximum dimension of up to about 2mm. Preferably the live feed component comprises zooplankton, Claderocera (e.g. *Daphnidae*, such as *D. rosea*), rotifers (*Brachionus plicatilis*) or *Artemia*, especially *Artemia*, and in particular *Artemia nauplii*. *Artemia* and other such live feed organisms are available commercially, e.g. in the case of *Artemia* in the dormant cyst form as discussed above. The live feed components will preferably be administered in water, e.g. saline, for example with a salinity (or otherwise expressed osmolality) of from 30

- 5 -

to 120% that of seawater (i.e. 300 to 1200 mOSm/kg).

The live feed compositions according to the invention may conveniently be prepared by addition of an oil-in-water emulsion of the acylglycerols to water containing live feed or by addition of live feed for live feed to an oil-in-water emulsion. The emulsions can be produced by conventional emulsification processes, e.g. by sonification, by using a rotor-stator mixer or by extrusion through a membrane with appropriate pore sizes. Typically droplet sizes from 1 to 100 μm , especially 5 to 50 μm may be used. To assist in emulsion formation, physiologically tolerable emulsification aids, e.g. surfactants such as Tweens, may be added. The aqueous phase of the emulsion will preferably be saline, e.g. as mentioned above.

The acylglycerol will normally be fed to the live feed component at a concentration of about 0.01 to 0.20 g/L, especially 0.05 to 0.10 g/L.

The live feed component will preferably be allowed to consume most or all of the acylglycerol droplets before being fed to the fish or fish larvae. Generally the droplets will be consumed in about 12 to 48 hours, especially about 24 hours, and the live feed component should then be fed to the fish or fish larvae within about 48 hours, preferably within 24 hours, more preferably within 1 hour. If the period between droplet consumption and use as feed is to be prolonged (e.g. over 1 hour), the live feed component is preferably stored under cooling, e.g. at 7 to 8°C. The live feed component will generally be filtered and washed before being fed to the fish or fish larvae.

Besides live feed containing feed compositions, fish at larval and post larval stages may also be fed with formulated feeds containing a mono and/or diacylglycerol composition in accordance with the definitions of the acylglycerol composition given above, e.g. feeds containing further components selected from

- 6 -

proteins, lipids, carbohydrates, colors, vitamins, and minerals.

Thus viewed from a further aspect the invention provides the use in the preparation of a fish feed, e.g. a formulated fish feed, of mono and/or diacylglycerols containing EPA and/or DHA residues.

Viewed from a yet still further aspect the invention provides a method of raising fish comprising feeding fish or fish larvae with an acylglycerol-containing feed, characterized in that said acylglycerol comprises mono, and/or diacylglycerols containing EPA and/or DHA residues.

The acylglycerols and/or other lipids may be incorporated into a fish feed in conventional fashion, e.g. by addition to a powdered mixture of other feed components such as for example fish meal, animal and/or vegetable protein, single cell organism protein, cereal flour, gluten, etc, followed by pelletization and drying. Alternatively the acylglycerols and/or other lipids may be combined with minced or emulsified fish, optionally containing other feed components such as animal and/or vegetable protein, single cell organism protein, cereal flour, gluten, etc, extruded, and heated (e.g. with microwave irradiation). The final feed product will typically be in pellet, granule, powder or flake form, preferably granule or powder form, e.g. with a particle size of 50 to 1500 μm , preferably 100 to 1000 μm .

Any variety of fish or fish larvae may be fed according to the invention, including both marine and freshwater fish as well as shellfish and crustaceans, e.g. cod, hake, haddock, halibut, dab, flounder, Japanese flounder, whiting, sole, turbot, sea bass, sea bream, tuna, prawn, shrimp, crab, lobster, crayfish, langoustine, oyster, mussel, scallop, whelk, cockle, etc. The invention however is especially applicable to prawn, shrimp and vertebrate marine fish and

- 7 -

particularly flatfish, i.e. fish which undergo a transformation involving eye migration during their larval stage. The invention is particularly suitable for larval halibut.

5 In the case of filter feeding fish, e.g. shellfish such as bivalves, the acylglycerols may be administered as an emulsion, optionally containing lipid-soluble additives dispersed in the discontinuous oil phase. Thus viewed from a further aspect the invention provides
10 a method of raising fish comprising feeding filter-feeding fish with an acylglycerol containing feed, characterized in that said feed comprises an oil-in-water emulsion containing mono and/or diacylglycerols of at least one fatty acid selected from EPA and DHA. In
15 such emulsions, the acylglycerol phase is preferably an acylglycerol or acylglycerol composition as described above and the droplet size is preferably 1 to 100 μm , especially 5 to 50 μm .

 The invention, i.e. the inclusion in feed of mono-
20 and/or diacylglycerols containing EPA and/or DHA residues is also applicable to feeds for air breathing juvenile vertebrates, e.g. mammals such as sheep, cows, pigs, dogs, cats, humans, etc and birds such as chickens, ducks, geese, turkeys, grouse, pheasants, etc.
25 In particular it is suitable for use with such juveniles suffering from poor digestive ability. Feed according to the invention for such juveniles will preferably contain the mono- and/or diacylglycerols in the same proportions as described herein for fish feeds,
30 preferably together with at least one further nutrient selected from carbohydrates, lipids, proteins, protein hydrolysates, vitamins and minerals and mixtures thereof, e.g. milk, fruit, vegetable, meat, fish, cereal, etc.

35 In one particularly preferred embodiment, the mono and/or diacylglycerols will be incorporated into milk powder (e.g. by spray drying milk enriched with the mono

- 8 -

and/or diacylglycerols) or into puréed cooked fruit, vegetable or meat. The quantity of mono and/or diacylglycerols used will typically be 1 to 30% wt, more preferably 2 to 15% wt of the compositions dry weight.

5 Advantageously, such compositions will also contain mono and/or diacylglycerols of C₁₆₋₂₄ omega-6 fatty acids, especially C₁₈₋₂₂ omega-6 fatty acids. Such feed compositions form further aspects of the invention.

10 The invention will now be illustrated by the following non-limiting Example.

Example 1

15 An aqueous emulsion was prepared containing 60% wt. EPAX 2050 TG (available from Pronova Biocare, Norway), 5% wt Tween 20 and 25% wt seawater (33 ppt salt).

20 An equivalent emulsion was prepared using cod liver oil (from Peter Møller AS, Oslo, Norway) in place of the EPAX 2050 TG.

25 *Artemia* cysts were decapsulated and hatched using conventional techniques and at the N*2 nauplius stage were transferred to enrichment tanks. The emulsions were added to bring the acylglycerol content in the tanks to 0.08 g/L and the tanks were left for 24 hours to allow the *artemia* to consume the acylglycerols. The acylglycerol enriched *Artemia* were then fed to halibut larvae in triplicate tanks for a period of 77 days.

30 This enriched *Artemia* feed was given to the larvae immediately following the yolk sac stage, i.e. as the first exogenous feed. At 1, 13, 46 and 77 days, larvae were removed and their fatty acid content was measured. At 77 days the mean weight, percentage survival and

35 percentage eye migration was determined for each group.

The results were as follows:

- 9 -

	Acylglycerol	EPAX 2050TG	Cod liver oil
	Survival (%)	38	11
	Final wet weight (g)	0.24	0.18
5	Average eye migration (%)	48	23
	Fatty acid content		
	(mg/g wet weight) Day 1	7	7
	Day 13	7	3
	Day 46	41	12
10	Day 77	27	13
	DHA*	8.8	4.4
	EPA*	11.1	10.4
	AA*	3.8	3.7
15	* as a percentage of total fatty acid content at 77 days		

- 10 -

Claims:

1. A fish feed comprising a live feed component which has been fed with an acylglycerol composition which
5 comprises mono and/or diacylglycerols of at least one fatty acid selected from eicosapentaeneoic acid and docosaheptaeneoic acid.
2. A fish feed as claimed in claim 1 wherein the
10 content of said mono and/or diacylglycerols is at least 45% wt of the total acylglycerol content.
3. A fish feed as claimed in either one of claims 1 or 2 wherein said fish are flatfish larvae.
- 15 4. A process for the preparation of fish feed, said process comprising contacting an acylglycerol composition and a live feed component characterised in that said acylglycerol composition comprises mono and/or
20 diacylglycerols of at least one fatty acid selected from eicosapentaeneoic acid and docosaheptaeneoic acid.
5. A process as claimed in claim 4 wherein the content of said mono and/or diacylglycerols is at least 45% wt
25 of the total acylglycerol content.
6. A process as claimed in either one of claims 4 or 5 wherein said acylglycerol composition comprises at least mono and diacylglycerols containing EPA and/or DHA
30 residues.
7. A process as claimed in any one of claims 4 to 6 wherein said acylglycerol composition contains acylglycerols having arachidonic acid (AA) residues.
35
8. A process as claimed in any one of claims 4 to 7 wherein said acylglycerol is fed to said live feed

- 11 -

component at a concentration of about 0.05 to 0.10 g/l.

9. The use in the preparation of a fish feed, e.g. a formulated fish feed, of mono and/or diacylglycerols containing EPA and/or DHA residues.

10. A method of raising fish comprising feeding fish or fish larvae with an acylglycerol-containing feed, characterized in that said acylglycerol comprises mono and/or diacylglycerols containing EPA and/or DHA residues.

11. A method of raising fish comprising feeding filter-feeding fish with an acylglycerol containing feed, characterized in that said feed comprises an oil-in-water emulsion containing mono and/or diacylglycerols of at least one fatty acid selected from EPA and DHA.

12. An aquatic animal organism having a maximum dimension of 2mm and having in its digestive tracts mono and/or diacylglycerols containing EPA and/or DHA residues.

13. Milk powder containing mono and/or diacylglycerols containing EPA and/or DHA residues.

14. Puréed cooked fruit, meat or vegetable containing mono and/or diacylglycerols containing EPA and/or DHA residues.

15. A diacylglycerol wherein both fatty acid groups are EPA, DHA and/or AA residues.

10/541889

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 July 2004 (29.07.2004)

PCT

(10) International Publication Number
WO 2004/062379 A3

(51) International Patent Classification⁷: **A23K 1/18**,
1/16, A23L 1/30, C11C 3/02

(21) International Application Number:
PCT/GB2004/000084

(22) International Filing Date: 12 January 2004 (12.01.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0300602.0 10 January 2003 (10.01.2003) GB

(71) Applicant (for all designated States except US): **FORIN-NOVA AS** [NO/NO]; Thormøhlensgate 55, N-5008 Bergen (NO).

(71) Applicant (for GB only): **COCKBAIN, Julian** [GB/GB];
42 Southmoor Road, Oxford OX2 6RD (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **HAMRE, Kristin**
[NO/NO]; Thormøhlensgate 55, N-5008 Bergen (NO).

(74) Agents: **COCKBAIN, Julian** et al.; Frank B. Dehn & Co.,
179 Queen Victoria Street, London EC4V 4EL (GB).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:
28 October 2004

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: FISH FEED COMPOSITIONS

(57) Abstract: The present invention provides a fish feed comprising a live feed component which has been fed with an acylglyc-
erol composition which comprises mono and/or diacylglycerols of at least one fatty acid selected from eicosapentaenoic acid and
docosahexaenoic acid.

WO 2004/062379 A3

INTERNATIONAL SEARCH REPORT

Int. Application No
PCT/GB2004/000084

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23K1/18 A23K1/16 A23L1/30 C11C3/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A23K A23L C11C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01/50884 A (HALLDORSSON OLAFUR ; HARALDSSON GUDMUNDUR G (IS); HJALTASON BALDUR) 19 July 2001 (2001-07-19) page 1, lines 4-16 page 4, lines 13-19 page 5, lines 5-11, 20-22	1-12
X	WO 01/50880 A (HALLDORSSON OLAFUR ; HARALDSSON GUDMUNDUR G (IS); HJALTASON BALDUR) 19 July 2001 (2001-07-19) page 4, lines 1-20 page 6, lines 9-16, 25-33	1-12

-/-

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the International filing date but later than the priority date claimed

T later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the International search

9 August 2004

Date of mailing of the International search report

23.08.2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Couzy, F

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB2004/000084

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	TOCHER D R ET AL: "THE USE OF SILAGES PREPARED FROM FISH NEURAL TISSUES AS ENRICHERS FOR ROTIFERS (BRACHIONUS PLICATILIS) AN ARTEMIA IN THE NUTRITION OF LARVAL MARINE FISH" AQUACULTURE, AMSTERDAM, NL, vol. 148, no. 2/3, 1997, pages 213-231, XP001070728 page 214	1-12
A	----- PATENT ABSTRACTS OF JAPAN vol. 1999, no. 09, 30 July 1999 (1999-07-30) & JP 11 098965 A (NAGASE & CO LTD), 13 April 1999 (1999-04-13) abstract	1-12
A	----- US 6 261 590 B1 (OZKIZILCIK SUREYYA ET AL) 17 July 2001 (2001-07-17) column 2, lines 33-36	1-12
A	----- WO 02/19839 A (UNIV MARYLAND BIOTECH INST) 14 March 2002 (2002-03-14) page 6, lines 8-15 page 14, lines 12-16	1-12
T	----- MEDINA A R ET AL: "CONCENTRATION AND PURIFICATION OF STEARIDONIC, EICOSAPENTAENOIC, AND DOCOSAHEXAENOIC ACIDS FROM COD LIVER OIL AND THE MARINE MICROALGA ISOCHRYSIS GALBANA" JOURNAL OF THE AMERICAN OIL CHEMISTS' SOCIETY, AMERICAN OIL CHEMISTS' SOCIETY, CHAMPAIGN, US, vol. 5, no. 72, 1995, pages 575-583, XP001071204 ISSN: 0003-021X table 1	1-12
X	----- WO 96/26287 A (SOBREMAR S A ; BRETON GILDAS (FR)) 29 August 1996 (1996-08-29) page 1, lines 8-20 page 3, lines 7-20 page 14, line 21 - page 15, line 12	15
Y	page 4, line 38 - page 5, line 16	13,14
X	----- EP 1 111 064 A (KAO CORP) 27 June 2001 (2001-06-27) paragraphs [0007], [0014], [0023] claims 1,9	15
Y	page 2, lines 12,13 ----- -/-	13,14

INTERNATIONAL SEARCH REPORT

Inte

d Application No

PCT/GB2004/000084

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>CARLSON S E: "DOCOSAHEXAENOIC ACID AND ARACHIDONIC ACID IN INFANT DEVELOPMENT" SEMINARS IN NEONATOLOGY, SAUNDERS, PHILADELPHIA,, US, vol. 6, no. 5, October 2001 (2001-10), pages 437-449, XP009024374 ISSN: 1084-2756 page 444 - page 445</p> <p>-----</p>	13, 14

INTERNATIONAL SEARCH REPORT

International application No.
PCT/GB2004/000084

Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☒ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-12

Fish feed comprising a live feed component which has been fed with an acylglycerol composition comprising EPA and DHA, or comprising the acylglycerol composition itself, corresponding methods of feeding fish and use in the preparation of a fish feed, and the aquatic animal having been fed the feed.

2. claims: 13-15

Diacylglycerol where both fatty acid units are EPA, DHA or AA, and specific foods comprising mono- or di-glycerides comprising EPA and/or DHA.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB2004/000084

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0150884	A	19-07-2001	AU 2394201 A CA 2397216 A1 CN 1400868 T EP 1250058 A1 WO 0150884 A1 JP 2003519501 T NO 20023375 A US 2003124218 A1	24-07-2001 19-07-2001 05-03-2003 23-10-2002 19-07-2001 24-06-2003 21-08-2002 03-07-2003
WO 0150880	A	19-07-2001	AU 2394301 A CA 2397352 A1 CN 1400867 T EP 1250059 A2 WO 0150880 A2 JP 2003519498 T NO 20023374 A US 2003097993 A1	24-07-2001 19-07-2001 05-03-2003 23-10-2002 19-07-2001 24-06-2003 22-08-2002 29-05-2003
JP 01109865	A	26-04-1989	NONE	
US 6261590	B1	17-07-2001	AU 752720 B2 AU 2560899 A CA 2318913 A1 DK 1049385 T3 EP 1049385 A1 ID 28631 A IL 137443 A JP 2002500868 T NO 20003707 A NZ 505943 A SE 522972 C2 SE 0002726 A WO 9937166 A1	26-09-2002 09-08-1999 29-07-1999 13-10-2003 08-11-2000 21-06-2001 06-07-2003 15-01-2002 21-09-2000 20-12-2002 23-03-2004 14-09-2000 29-07-1999
WO 0219839	A	14-03-2002	AU 9258601 A CA 2424570 A1 EP 1324671 A1 WO 0219839 A1 US 2002110582 A1	22-03-2002 14-03-2002 09-07-2003 14-03-2002 15-08-2002
WO 9626287	A	29-08-1996	FR 2731015 A1 EP 0784694 A1 WO 9626287 A1 IL 117251 A MA 23806 A1 US 6537787 B1	30-08-1996 23-07-1997 29-08-1996 28-09-2000 01-10-1996 25-03-2003
EP 1111064	A	27-06-2001	JP 2001169795 A EP 1111064 A1 US 2001004462 A1	26-06-2001 27-06-2001 21-06-2001